

AMENDMENTS TO THE CLAIMS

Claims 1-19, and 21-30 (cancelled)


<sup>3</sup>  
Claim ~~20~~ (currently amended): A compound selected from the group consisting of:  
Methyl-[4-methyl-1-(propane-1-sulfonyl)-piperidin-3-yl]-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amine;  
4-Methyl-3-[methyl-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amino]-piperidine-1-carboxylic acid methyl ester;  
3,3,3-Trifluoro-1-{4-methyl-3-[methyl-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amino]-piperidin-1-yl}-propan-1-one;  
4-Methyl-3-[methyl-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amino]-piperidine-1-carboxylic acid dimethylamide;  
<sup>β1</sup> 3-{4-Methyl-3-[methyl-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amino]-piperidin-1-yl}-3-oxo-propionitrile;  
3,3,3-Trifluoro-1-{4-methyl-3-[methyl-(5-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amino]-piperidin-1-yl}-propan-1-one;  
1-{4-Methyl-3-[methyl-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amino]-piperidin-1-yl}-but-3-yn-1-one;  
1-{3-[(5-Chloro-7H-pyrrolo[2,3-d]pyrimidin-4-yl)-methyl-amino]-4-methyl-piperidin-1-yl}-propan-1-one; and  
1-{3-[(5-Fluoro-7H-pyrrolo[2,3-d]pyrimidin-4-yl)-methyl-amino]-4-methyl-piperidin-1-yl}-propan-1-one.

<sup>4</sup> <sup>3</sup>  
Claim ~~31~~ (currently amended): A compound of claim ~~20~~, wherein said compound is 3-{4-Methyl-3-[methyl-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-amino]-piperidin-1-yl}-3-oxo-propionitrile, or pharmaceutically acceptable salt thereof.

2


1  
Claim 32 (new):

A compound of the formula



or the pharmaceutically acceptable salt thereof; wherein

R<sup>1</sup> is a group of the formula



wherein y is 0, 1 or 2;

134

R<sup>4</sup> is selected from the group consisting of hydrogen, (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl wherein the alkyl, alkenyl and alkynyl groups are optionally substituted by deuterium, hydroxy, amino, trifluoromethyl, (C<sub>1</sub>-C<sub>4</sub>)alkoxy, (C<sub>1</sub>-C<sub>6</sub>)acyloxy, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>amino, cyano, nitro, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl or (C<sub>1</sub>-C<sub>6</sub>)acylamino; or R<sup>4</sup> is (C<sub>3</sub>-C<sub>10</sub>)cycloalkyl wherein the cycloalkyl group is optionally substituted by deuterium, hydroxy, amino, trifluoromethyl, (C<sub>1</sub>-C<sub>6</sub>)acyloxy, (C<sub>1</sub>-C<sub>6</sub>)acylamino, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>amino, cyano, cyano(C<sub>1</sub>-C<sub>6</sub>)alkyl, trifluoromethyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, nitro, nitro(C<sub>1</sub>-C<sub>6</sub>)alkyl or (C<sub>1</sub>-C<sub>6</sub>)acylamino;

R<sup>5</sup> is a piperidinyl substituted by one to five carboxy, cyano, amino, deuterium, hydroxy, (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halo, (C<sub>1</sub>-C<sub>6</sub>)acyl, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, amino(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy-CO-NH, (C<sub>1</sub>-C<sub>6</sub>)alkylamino-CO-, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, amino(C<sub>1</sub>-C<sub>6</sub>)alkyl, hydroxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)acyloxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, nitro, cyano(C<sub>1</sub>-C<sub>6</sub>)alkyl, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, nitro(C<sub>1</sub>-C<sub>6</sub>)alkyl, trifluoromethyl, trifluoromethyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)acylamino, (C<sub>1</sub>-C<sub>6</sub>)acylamino(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)acylamino, amino(C<sub>1</sub>-C<sub>6</sub>)acyl, amino(C<sub>1</sub>-C<sub>6</sub>)acyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkylamino(C<sub>1</sub>-C<sub>6</sub>)acyl, ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>amino(C<sub>1</sub>-C<sub>6</sub>)acyl, R<sup>15</sup>R<sup>16</sup>N-CO-O-,

13

$$\begin{array}{c} \text{---} \\ \diagdown \\ \text{(CR}^6\text{R}^7)_a \\ \diagup \\ \text{---} \end{array} \text{---} (\text{X})_b \text{---} \left( \begin{array}{c} \text{N} \\ | \\ \text{R}^8 \end{array} \right)_c \text{---} (\text{CR}^9\text{R}^{10})_d \text{---} (\text{Y})_e \text{---} \left( \begin{array}{c} \text{R}^{11} \\ | \\ \text{N} \end{array} \right)_f \text{---} (\text{Z})_g \text{---} \text{R}^{12}$$

Z is carbonyl, C(O)O-, C(O)NR- or S(O)<sub>n</sub> wherein n is 0, 1 or 2;


R<sup>12</sup> is carboxy, cyano, amino, oxo, deuterium, hydroxy, trifluoromethyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl, trifluoromethyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halo, (C<sub>1</sub>-C<sub>6</sub>)acyl, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub> amino, amino(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy-CO-NH, (C<sub>1</sub>-C<sub>6</sub>)alkylamino-CO-, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>) alkynyl, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, hydroxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)acyloxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, nitro, cyano(C<sub>1</sub>-C<sub>6</sub>)alkyl, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, nitro(C<sub>1</sub>-C<sub>6</sub>)alkyl, trifluoromethyl, trifluoromethyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)acylamino, (C<sub>1</sub>-C<sub>6</sub>)acylamino(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)acylamino, amino(C<sub>1</sub>-C<sub>6</sub>)acyl, amino(C<sub>1</sub>-C<sub>6</sub>)acyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkylamino(C<sub>1</sub>-C<sub>6</sub>)acyl, ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>amino(C<sub>1</sub>-C<sub>6</sub>)acyl, R<sup>15</sup>R<sup>16</sup>N-CO-O-, R<sup>15</sup>R<sup>16</sup>N-CO-(C<sub>1</sub>-C<sub>6</sub>)alkyl,

17

$R^{15}C(O)NH$ ,  $R^{15}OC(O)NH$ ,  $R^{15}NHC(O)NH$ ,  $(C_1-C_6)alkyl-S(O)_m$ ,  $(C_1-C_6)alkyl-S(O)_m-$   
 $(C_1-C_6)alkyl$ ,  $R^{15}R^{16}NS(O)_m$ ,  $R^{15}R^{16}NS(O)_m(C_1-C_6)alkyl$ ,  $R^{15}S(O)_mR^{16}N$ ,  
 $R^{15}S(O)_mR^{16}N(C_1-C_6)alkyl$  wherein  $m$  is 0, 1 or 2 and  $R^{15}$  and  $R^{16}$  are each  
 independently selected from hydrogen or  $(C_1-C_6)alkyl$ ;


$R^2$  and  $R^3$  are each hydrogen.

<sup>2</sup>  
 Claim 33 (new): A compound of the formula



or the pharmaceutically acceptable salt thereof; wherein

$R^1$  is a group of the formula




wherein  $y$  is 0;

$R^4$  is  $(C_1-C_6)alkyl$ ;

$R^5$  is piperidiny1 substituted by one to five carboxy, cyano, amino, deuterium,  
 hydroxy,  $(C_1-C_6)alkyl$ ,  $(C_1-C_6)alkoxy$ , halo,  $(C_1-C_6)acyl$ ,  $(C_1-C_6)alkylamino$ ,  
 amino $(C_1-C_6)alkyl$ ,  $(C_1-C_6)alkoxy-CO-NH$ ,  $(C_1-C_6)alkylamino-CO-$ ,  $(C_2-C_6)alkenyl$ ,  
 $(C_2-C_6)alkynyl$ ,  $(C_1-C_6)alkylamino$ , amino $(C_1-C_6)alkyl$ , hydroxy $(C_1-C_6)alkyl$ ,  $(C_1-$   
 $C_6)alkoxy(C_1-C_6)alkyl$ ,  $(C_1-C_6)acyloxy(C_1-C_6)alkyl$ , nitro, cyano $(C_1-C_6)alkyl$ ,  
 halo $(C_1-C_6)alkyl$ , nitro $(C_1-C_6)alkyl$ , trifluoromethyl, trifluoromethyl $(C_1-C_6)alkyl$ ,  $(C_1-$   
 $C_6)acylamino$ ,  $(C_1-C_6)acylamino(C_1-C_6)alkyl$ ,  $(C_1-C_6)alkoxy(C_1-C_6)acylamino$ ,  
 amino $(C_1-C_6)acyl$ , amino $(C_1-C_6)acyl(C_1-C_6)alkyl$ ,  $(C_1-C_6)alkylamino(C_1-C_6)acyl$ ,  
 $((C_1-C_6)alkyl)_2amino(C_1-C_6)acyl$ ,  $R_{15}R_{16}N-CO-O-$ ,  $R_{15}R_{16}N-CO-(C_1-C_6)alkyl$ ,  $(C_1-$   
 $C_6)alkyl-S(O)_m$ ,  $R_{15}R_{16}NS(O)_m$ ,  $R_{15}R_{16}NS(O)_m(C_1-C_6)alkyl$ ,  $R_{15}S(O)_mR_{16}N$ ,  
 $R_{15}S(O)_mR_{16}N(C_1-C_6)alkyl$ , or a group of the formula

74003



wherein:

m is 0, 1 or 2;

R<sub>15</sub> and R<sub>16</sub> are each independently selected from hydrogen or (C<sub>1</sub>-C<sub>6</sub>)alkyl;

d is 1;

R<sup>9</sup> and R<sup>10</sup> are each independently selected from the group consisting of hydrogen or (C<sub>1</sub>-C<sub>6</sub>)alkyl optionally substituted by deuterium, hydroxy, amino, trifluoromethyl, (C<sub>1</sub>-C<sub>6</sub>)acyloxy, (C<sub>1</sub>-C<sub>6</sub>)acylamino, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>amino, cyano, cyano(C<sub>1</sub>-C<sub>6</sub>)alkyl, trifluoromethyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, nitro, nitro(C<sub>1</sub>-C<sub>6</sub>)alkyl or (C<sub>1</sub>-C<sub>6</sub>)acylamino;

R<sup>12</sup> is cyano, trifluoromethyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl, trifluoromethyl(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, ((C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>amino, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, cyano(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl-S(O)<sub>m</sub> wherein m is 0, 1 or 2; and

R<sup>2</sup> and R<sup>3</sup> are each H.